

VINILBOND® DECORATIVE PANEL SYSTEMS





EXTERIOR & INTERIOR






Pleasant and practical

A new era in exterior and interior facades with VINYLBOND™ Decorative Panels developed based on the vast R&D and production experience in building materials...

VINYLBOND™ Decorative Panel Systems are designed for use in both interior and exterior spaces.


With VINYLBOND™, you can design stylish ceilings, pleasant walls and eye-catching facades that are quite easy to apply and maintain, without making concessions on your comfort and style.





Durable and high quality

The new generation facade, ceiling and wall decorative panel system VINYLBOND $^{\text{\tiny M}}$ is extremely resistant to water, surface abrasions, impacts and harmful sun rays. The surfaces of the panels are covered with a high-tech decorative film layer.











Always stylish, always elegant...

VINYLBOND™ is your first choice to apply pleasant, relaxing and reviving surfaces to your living spaces in a practical way. You can benefit from design alternatives for practical decorative walls tailored to your taste, and warm and much more pleasant ceilings.









Advanced technology, high quality results...

VINYLBOND is specifically designed for both interior and exterior use with its advanced water-resistant technology, antibacterial and non-flammability characteristics. It offers comfortable and durable surfaces in all working and living areas from homes to offices, gyms, airports, schools, cultural centers, hospitals to all commercial areas.































RIBBON EXTERIOR & INTERIOR LINEAR • 150 x 26 MM





RIBBON • Interior Magic Sahara


RIBBON offers a special texture that adds depth and meaning to surfaces. With the meaningful color options specifically designed for modern and pleasant spaces; it also allows for magnificent plays of light on all surfaces in both interior and exterior spaces, on the walls or ceilings where it is applied.











FINE • Interior Magic Vison

FINE is the first choice of those who love elegant textures... An alternative that captivates all surface with its robust structure, elegant size and pleasant depth.

FINE, which has the thinnest intermittent surface coating design option, is particularly ideal for adding elegance to surfaces.











MAXI • Interior White

MAXI offers more planar surface with its large surface area and narrow gaps. Thanks to its attractive color options, it allows for compact and symmetrical textured design on all interior and exterior surfaces.


With the special film coating on the panels produced for exterior applications, 10-year vivid color guarantee is also provided on the surface in the areas that are continuously exposed to sunlight.





BARCODE EXTERIOR & INTERIOR LINEAR • 125 x 18 MM






BARCODE • Interior Magic Stone

BARCODE is a special design that defies the conventional applications with its two different size surfaces side by side. The discrete surface dimensions are balanced with the same width interspaces to provide an unusual but planar surface. It is quick to be noticed and makes a difference in all areas where it is used with different color options for interior and exterior spaces.











SOLID • Interior Sand Gray


With its compact appearance, it offers durability and elegance in all aspects to all surfaces where it is applied. This design, which is highly chosen particularly for exterior spaces, adds pleasure to all surfaces applied with its modern color options

VINYLBOND™ products, which are applied with minimum waste and virtually silent and time saving installation and quite fast to apply, are the number one choice of those who seek perfection on surfaces such as walls or ceilings!











BEVEL, which offers a design as modern adaptation of an elegant tradition, is also known as "Weather Boarding" used for many years, particularly on exterior surfaces.

You can enjoy all the elegance and nobility of this method, where the facades are traditionally covered with solid wood paneling as opposed to Vinylbond Vivid colour guarantee, ease of maintenance and No DECAY!











LOG • Exterior Cream

LOG is a special classic among the VINYLBOND™ design options, which is integrated with nature as one of the most durable facade coating options in terms of natural conditions... You can use it safely and with pleasure in all climatic conditions thanks to its design options which are inspired by the natural facades of log houses and which cannot be distinguished from natural materials externally.










EXTERIOR & INTERIOR





MAXI

LINEAR 165x18 MM

INTERIOR 280 CM EXTERIOR 280 CM






BEVEL

LINEAR 105x18 MM

INTERIOR 280 CM EXTERIOR 280 CM







BARCODE

LINEAR 125x18 MM

INTERIOR 280 CM EXTERIOR 280 CM






SOLID


LINEAR

105x18 MM

INTERIOR 280 CM EXTERIOR 280 CM







RIBBON LINEAR 150x26 MM

INTERIOR 280 CM EXTERIOR 280 CM







LOG

LINEAR 125×26 MM

INTERIOR 280 CM EXTERIOR 280 CM





FINE

LINEAR 125x26 MM

INTERIOR 280 CM

EXTERIOR 280 CM


















1


Align the start module exactly to the application surface and fix it by using self-tapping screw.

 $\sum_{i=1}^{n}$

After screwing the decorative panels into the grooves one by one, place the next panel and lock the surface to cover the surface.

3

When you reach the end of the surface, install the end module by locking it with screws or preferably adhesive, and complete the process.





STACKING CONDITIONS


- 1 Pallet packages of the panels and components to be kept in stocks should not be opened until the moment of application.
- 2 The stacking floor should be flat and balanced.
- **3** Stacks should always be supported horizontally by using at least 3 supports, and they should never be stacked vertically.
- 4 Panels to be used in interior spaces should not be exposed to direct sunlight or external weather conditions.
- 5 Care should be taken to prevent damages that may occur due to the use of forklifts during loading and unloading.





EASY INSTALLATION

GYPSUM BOARD & PRECAST CONCRETE PANEL




END MODULE







EASY INSTALLATION

FLAWLESS EDGES






EXTERIOR DESIGNS







INTERIOR DESIGNS









OUR CERTIFICATES




























Antalya Organized Industrial Zone 2nd Section Neighborhood 21st Street No:3 07040 Dosemealti, Antalya, Turkey

vinylbond.com • ado.com.tr